

Traduction

Déclaration de performance N° CMCT24GP20130630E

(CPR 305 / 2011)

1 Identification unique du type de code produit :	Visible T24x38
Composants individuels :	814, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859
2 Type, lot ou numéro de série ou tout autre élément permettant l'identification du produit de construction comme requis en vertu de l'article 11 (4) :	Type de produit, numéro de série, code EAN
3 Utilisation(s) prévue(s) du produit de construction conformément à la spécification technique harmonisée applicable, comme prévu par le fabricant :	Grille de plafond suspendu à usage interne dans les bâtiments.
4 Nom, nom commercial déposé ou marque déposée et adresse du fabricant comme requis en vertu de l'article 11 (5) :	Chicago Metallic Continental BVBA Oud Sluisstraat 5 B-2110 Wijnegem, Belgique
5 Le cas échéant, nom et adresse du représentant habilité mandaté pour les tâches spécifiées à l'Article 12 (2) :	Non applicable
6 Systèmes ou systèmes d'évaluation et vérification de la constance de la performance du produit de construction tels que définis à l'Annexe V :	Système AVCP 3
7 En cas de déclaration de performance concernant un produit de construction couvert par une norme harmonisée :	

- a. La production réalisant :
 - (i) **Le contrôle de la production en usine**
 - (ii) **Des essais supplémentaires sur des échantillons prélevés à l'usine par le fabricant conformément au plan d'essais établi**
- b. L'organisme de certification du produit notifié a délivré le certificat de constance de performance pour le produit sur la base :
 - (i) **Des essais de réaction au feu conformément à l'EN 13501-1 par WFR Gent nv BPR-DPC 1173**
 - (ii) **De l'inspection initiale du système de management de la qualité ISO 9001 : 2008 par Lloyd's Register Quality Assurance - enregistrement n°1879370**

Déclaration de performance

N°CMCT24GP20130630E

(CPR 305 / 2011)

8 En cas de déclaration de performance concernant un produit de construction pour lequel une évaluation technique européenne a été réalisée :	Non applicable
--	-----------------------

9 Performance déclarée :

- a. La colonne 1 doit contenir la liste des caractéristiques essentielles telles que déterminées dans les spécifications techniques harmonisées concernant la ou les utilisations prévues indiquées au point 3 ci-dessus.
- b. Pour chaque caractéristique essentielle répertoriée dans la colonne 1 et, conformément aux exigences de l'article 6, la colonne 2 doit contenir la performance déclarée, exprimée par niveau ou classe, ou décrite. Les lettres « NPD » (No performance declared, aucune performance déclarée) doivent être indiquées lorsqu'aucune performance n'est déclarée.
- c. Pour chaque caractéristique essentielle répertoriée dans la colonne 1, la colonne 3 doit contenir :
 - (i) la référence datée de la norme harmonisée correspondante et, le cas échéant, le numéro de référence de la documentation technique appropriée ou spécifique utilisée ;
 - (ii) la référence datée du document d'évaluation européen correspondant le cas échéant et le numéro de référence de l'évaluation technique européenne utilisée

Caractéristiques essentielles	Performances	Spécification technique harmonisée
Réaction au feu	A1	(800) 13501-1 2007
Durabilité	Classe B	EN 13964:2004/A1:2006
Force portante	Voir la littérature du fabricant	EN 13964:2004/A1:2006
Dimensions et tolérances	Voir la littérature du fabricant	EN 13964:2004/A1:2006

10 La performance du produit identifié aux points 1 et 2 est conforme à la performance déclarée au point 9.

Cette déclaration de performance est émise sous la seule responsabilité du fabricant au point 4.

Signé pour et au nom du fabricant par :

Erik Van Bouwel, Responsable qualité
 B-2110 Wijnegem, Belgique



Declaration of performance

N° CMCT24GP20130630E

(CPR 305 / 2011)

- 1** Unique identification of the product code type:
Individual components:
- Visible T24x38**
**814, 850, 851, 852, 853, 854, 855,
856, 857, 858, 859**
- 2** Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to article 11 (4):
- Product type, serial No, EAN code**
- 3** Intended use or uses of the construction product in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:
- Ceiling suspension grid for use internally in buildings.**
- 4** Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to article 11 (5):
- Chicago Metallic Continental BVBA
Oud Sluisstraat 5
B-2110 Wijnegem, Belgium**
- 5** Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2):
- Not applicable**
- 6** Systems or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:
- AVCP system 3**
- 7** In case of the declaration of performance concerning a construction product covered by a harmonised standard:
- a. The manufacturing carrying out :
- (i) **Factory production control**
- (ii) **Further testing of samples taken at the factory by the manufacturer in accordance with the prescribed test plan**
- b. The notified product certification body issued the certificate of constancy of performance on the product on the basis of:
- (i) **Fire reaction tests according to EN 13501-1 by WFR Gent nv BPR-DPC 1173**
- (ii) **Initial inspection of the quality management system ISO 9001 : 2008 by Lloyd's Register Quality Assurance - registration no 1879370**



Declaration of performance

N° CMCT24GP20130630E

(CPR 305 / 2011)

- 8** In case of the declaration of performance concerning a construction product for which a European technical assessment has been issued: **Not applicable**
- 9** Declared performance:
- a.** Column 1 shall contain the list of essential characteristics as determined in the harmonised technical specifications for the intended use or uses indicated in point 3 above.
 - b.** For each essential characteristics listed in column 1 and in compliance with the requirements of article 6, column 2 shall contain the declared performance, expressed by level or class, or in a description, related to the corresponding essential characteristics. The letters 'NPD' (No performance declared) shall be indicated where no performance is declared.
 - c.** For each essential characteristics listed in column 1, column 3 shall contain:
 - (i)** dated reference of the corresponding harmonised standard and, where relevant, the reference number of the specific or appropriate technical documentation used;
 - (ii)** dated reference of the corresponding European Assessment Document where available and reference number of the European technical assessment used

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	A1	EN 13501-1: 2007
Durability	Class B	EN 13964:2004/A1:2006
Load Bearing Capacity	See manufacturer's literature	EN 13964:2004/A1:2006
Dimensions and Tolerances	See manufacturer's literature	EN 13964:2004/A1:2006

- 10** The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer in point 4.

Signed for and on behalf of the manufacturer by:

Erik Van Bouwel, Quality Manager
B-2110 Wijnegem, Belgium